

E&H services Inc.
Testing laboratory
CAI Accredited Testing Laboratory No. 1665
according to ČSN EN ISO/IEC 17025:2005
building VÚHŽ, 739 51 Dobrá 240



TEST REPORT No. 83/2018

Customer : Clucker Leisure Ltd.
Wrabness Hall
Church Road
CO11 2TQ Wrabness, Essex.

Set No. : 42/2018
Sample Received : 9.2.2018 11:00
Sample Analyzed : 9.2.2018 - 12.2.2018
Order No. : Not mentioned

Information about sample No.: 163

Sampling Date and Time : Not mentioned
Sample name : Sample 002
Sample type : Vegetable materials
Sampled by : Customer
Sampling purpose : On the customer request

Results - chemical analysis

| Parameter | Value | Unit | Kind | Method used | Uncertainty |
|------------------------------------|-------|------|------|-------------|-------------|
| cannabidiol (CBD) | 7,0 | mg/g | A | SOP 16.02 | ± 30% |
| cannabidiolic acid | 0,64 | mg/g | A | SOP 16.02 | ± 30% |
| cannabigerol | 0,16 | mg/g | A | SOP 16.02 | ± 30% |
| cannabigerolic acid | 0,049 | mg/g | A | SOP 16.02 | ± 30% |
| delta-9-tetrahydrocannabinol (THC) | 0,22 | mg/g | A | SOP 16.02 | ± 30% |
| tetrahydrocannabinolic acid | 0,20 | mg/g | A | SOP 16.02 | ± 30% |
| cannabinol | 0,016 | mg/g | A | SOP 16.02 | ± 30% |

Notice to sampling : The sampling itself is not a subject of accreditation.

This Report can be reproduced only complete, its part only with the written permission of this testing laboratory.

Results are only for tested samples.

These expanded uncertainties of measurement are obtained by multiplying of standard uncertainty of measurement by extending coefficient $k=2$ (for confidence level 95%). Uncertainty of sampling not included.

"<" - result is below the detection limit, ">" - result is higher than mentioned value

Methods in Kind column: "A" accredited test

Checked by : Kurková Romana, MSc., Ph.D.
Completed by : Kurková Romana, MSc., Ph.D.
Number of pages : 2
Date : 12.2.2018



Tomaš Ocelka, Dipl. Ing., Ph.D.
head of Testing Laboratory

